

Glandless circulators - Umwälzpumpen - Cirkulationspumper

SMEDEGAARD	connection		Voltage	↔ = ↔	GRUNDFOS	connection		voltage
	port to port mm					port to port mm		
	Anschluss (Rohr)		Spannung		Anschluss	Spannung		
	Einbaulänge mm		Spænding		Einbaulänge mm	Spænding		
	Tilslutning			Tilslutning				
	Indbygningsmål			Indbygningsmål				
<b>EV</b>			<b>UPS Serie 100</b>					
EV 25-40 Basic	1" 180 / 130	1*230V	=	UPS 25-25	1" 180 / 130	1*230V		
EV 32-40 Basic	1¼" 180 / 130	1*230V	=	UPS 32-25	1¼" 180 / 130	1*230V		
EV 25-40 Basic	1" 180 / 130	1*230V	=	UPS 25-40	1" 180 / 130	1*230V		
EV 32-40 Basic	1¼" 180 / 130	1*230V	=	UPS 32-40	1¼" 180 / 130	1*230V		
EV 25-60 Basic	1" 180 / 130	1*230V	=	UPS 25-60	1" 180 / 130	1*230V		
EV 32-60 Basic	1¼" 180 / 130	1*230V	=	UPS 32-60	1¼" 180 / 130	1*230V		
EV 25-60 Basic	1¼" 180	1*230V	↔	UPS 32-55	1¼" 180	1*230V		
EV 2-72-2C	1" 180	1*230V	↔	UPS 25-80	1" 180	1*230V		
EV 3-72-2C	1¼" 180	1*230V	↔	UPS 32-80	1¼" 180	1*230V		
EV 2-72-2C	1" 180	1*230V	↔	UPS 25-120	1" 180	1*230V		
Upon request/Auf Anfrage				UPS 25-125	1" 180	1*230V		
<b>SimFlex</b>			<b>Alpha plus</b>					
SimFlex 15-40C	½" 130	1*230V	=	15-40	½" 130	1*230V		
SimFlex 25-40C	1" 180 / 130	1*230V	=	25-40	1" 180 / 130	1*230V		
SimFlex 32-40C	1¼" 180 / 130	1*230V	=	32-40	1¼" 180 / 130	1*230V		
SimFlex 25-40C	1" 180 / 130	1*230V	=	25-40	1" 180 / 130	1*230V		
SimFlex 32-40C	1¼" 180 / 130	1*230V	=	32-40	1¼" 180 / 130	1*230V		
SimFlex 25-60C	1" 180 / 130	1*230V	=	25-60	1" 180 / 130	1*230V		
SimFlex 32-60C	1¼" 180 / 130	1*230V	=	32-60	1¼" 180 / 130	1*230V		
<b>SimFlex</b>			<b>Alpha pro</b>					
SimFlex 15-40C	½" 130	1*230V	=	15-40	½" 130	1*230V		
SimFlex 25-40C	1" 180 / 130	1*230V	=	25-40	1" 180 / 130	1*230V		
SimFlex 32-40C	1¼" 180 / 130	1*230V	=	32-40	1¼" 180 / 130	1*230V		
SimFlex 25-60C	1" 180 / 130	1*230V	=	25-60	1" 180 / 130	1*230V		
SimFlex 32-60C	1¼" 180 / 130	1*230V	=	32-60	1¼" 180 / 130	1*230V		
<b>EV</b>			<b>UPS Serie 200</b>					
EV 4- 60-2C	40/250	3*400V	=	UPS 32-30F	32/220	3*400V		
EV 4- 75-2C	40/250	3*400V	=	UPS 32-60F	32/220	3*400V		
EV 4- 95-2C	40/250	3*400V	↔	UPS 32-120F	32/220	3*400V		
EV 4- 60-2C	40/250	3*400V	=	UPS 40-30F	40/250	3*400V		
EV 4- 75-2C	40/250	3*400V	=	UPS 40-60/4F	40/250	3*400V		
EV 4- 75-2C	40/250	3*400V	=	UPS 40-60/2F	40/250	3*400V		
EV 4- 95-2C	40/250	3*400V	=	UPS 40-120F	40/250	3*400V		
EV 5- 88-2C	50/280	3*400V	↔	UPS 50-30	50/280	3*400V		
EV 5- 88-2C	50/280	3*400V	↔	UPS 50-60/4F	50/280	3*400V		
EV 5- 88-2C	50/280	3*400V	=	UPS 50-60/2F	50/280	3*400V		
EV 5- 95-2C	50/280	3*400V	=	UPS 50-120F	50/280	3*400V		
EV 5-120-2C	50/280	3*400V	↔	UPS 50-180F	50/280	3*400V		
EV 5-120-2C	50/280	3*400V	↔	UPS 50-185F	50/280	3*400V		
EV 6-125-4C	65/340	3*400V	↔	UPS 65-30F	65/340	3*400V		
EV 6- 95-2C	65/340	3*400V	↔	UPS 65-60/4F	65/340	3*400V		
EV 6- 95-2C	65/340	3*400V	↔	UPS 65-60/2F	65/340	3*400V		
EV 6- 95-2C	65/340	3*400V	↔	UPS 65-120F	65/340	3*400V		
EV 6-110-2C	65/340	3*400V	↔	UPS 65-180F	65/340	3*400V		
EV 6-110-2C	65/340	3*400V	↔	UPS 65-185F	65/340	3*400V		
EV 8-125-4C	80/380	3*400V	=	UPS 80-30F	80/380	3*400V		
EV 8- 95-2C	80/380	3*400V	=	UPS 80-60F	80/380	3*400V		
EV 8-100-2C	80/380	3*400V	↔	UPS 80-120F	80/380	3*400V		
EV 8- 95-2C	80/380	3*400V	↔	UPS 100-30F	100/450	3*400V		

Glandless circulators - Umwälzpumpen - Cirkulationspumper

<b>SMEDEGAARD</b>	connection port to port mm	Voltage	↙ = ↘	<b>GRUNDFOS</b>	connection port to port mm	voltage
	Anschluss (Rohr) Einbaulänge mm	Spannung			Anschluss Einbaulänge mm	Spannung
	Tilslutning Indbygningsmål	Spænding			Tilslutning Indbygningsmål	Spænding

<b>SimFlex</b>					<b>Magna</b>			
SimFlex 25-60C	1"	180	1*230V	↙	25-60	1"	180	1*230V
SimFlex 32-60C	1¼"	180	1*230V	↙	32-60	1¼"	180	1*230V
SimFlex 30-120C	1¼"	180	1*230V	↘	25-100	1¼"	180	1*230V
SimFlex 30-120C	1¼"	180	1*230V	↘	32-100	1¼"	180	1*230V
SimFlex 32-120C	32/220		1*230V	↘	32-100F	32/200		1*230V
SimFlex 32-120C	32/220		1*230V	=	32-120F	32/220		1*230V
SimFlex 40-100C	40/250		1*230V	=	40-100F	40/220		1*230V
SimFlex 40-140C	40/250		1*230V	=	40-120F	40/250		1*230V
SimFlex 50-90C	50/280		1*230V	↘	50-60F	50/280		1*230V
SimFlex 50-90C	50/280		1*230V	=	50-100F	50/240		1*230V
SimFlex 50-140C	50/280		1*230V	=	50-120F	50/280		1*230V
SimFlex 65-90C	65/340		1*230V	=	65-60F	65/340		1*230V
SimFlex 65-120C	65/340		1*230V	=	65-120F	65/340		1*230V

<b>SimFlex</b>					<b>UPE</b>			
SimFlex 15-40C	½"	130	1*230V	=	15-40	½"	130	1*230V
SimFlex 25-40C	1"	180 / 130	1*230V	=	25-40	1"	180 / 130	1*230V
SimFlex 32-40C	1¼"	180 / 130	1*230V	=	32-40	1¼"	180 / 130	1*230V
SimFlex 25-60C	1"	180 / 130	1*230V	=	25-60	1"	180 / 130	1*230V
SimFlex 32-60C	1¼"	180 / 130	1*230V	=	32-60	1¼"	180 / 130	1*230V
SimFlex 80-120C	80/360		1*230V	=	100-60	100/450		3*400V

= = Equal duty - gleiche Leistung - samme ydelse

↘ = Smedegaard duty larger - Smedegaard Leistung grösser - Smedegaard ydelse større

↙ = Smedegaard duty smaller - Smedegaard Leistung kleiner - Smedegaard ydelse mindre

T.SMEDEGAARD A/S, Glostrup 2011

Subject to change

Änderungen vorbehalten

Ændringer forbeholdes